





### **CNMI Weekly Syndromic Surveillance Report**

**EPI WEEK DATE:** June 08, 2025 – June 14, 2025

Clinic	Influenza-Like-Illness (ILI)		Diarrhea (DIA)		Prolonged Fever (PF)		Acute Fever and Rash (AFR)		Total Encounters	
Cinic	Last week	Current week	Last week	Current week	Last week	Current week	Last week	Current week	Last week	Current week
CHCC Family Care Clinic	0	0	2	0	1	0	0	0	351	350
CHCC Women's Clinic	0	0	0	0	0	0	0	0	120	119
CHCC Children's Clinic	7	5	2	1	1	5	0	0	229	196
CHCC Emergency Room	22	12	9	2	5	9	0	0	402	388
Saipan Health Clinic	1	1	1	0	0	0	0	0	112	127
Kagman Isla Community Health	2	2	2	0	0	0	0	0	123	112
Southern Isla Community Health	0	0	0	0	1	0	0	0	123	140
Tinian Isla Community Health	0	1	0	0	0	0	0	0	48	38
CHCC Lucia "Chiang" Villagomez Arizapa Health Center*	4	3	0	0	0	3	0	0	123	130
CHCC Rota Health Center	2	0	5	1	1	0	0	0	100	115
*CHCC Tinian Health Center was renamed to LCVA Health Center.	38	24	21	4	9	17	0	0	1731	1715

#### **ALERTS AND TRENDS**



**ILI: Decrease** from previous week



**DIA: Decrease** from previous week



**PF**: **Increase** from previous week



**AFR**: **Stable** from previous week

#### **KEY TAKEAWAYS**

- > 113% Increase in COVID-19 cases were seen this Epi Week (#24) compared to the average of the previous 3 Epi Weeks (#23, 22, & 21).
- **23% Decrease** in **Influenza Like Illness cases** were seen this Epi Week (#24) compared to the average of the previous 3 Epi Weeks (#23, 22, & 21).
- > 72% Decrease in Diarrhea cases were seen this Epi Week (#24) compared to the average of the previous 3 Epi Weeks (#23, 22, & 21).

#### 3 Influenza cases:

❖ 3 Flu A

		JIIIA								
	Epi Week				Percent (%) change from	Antimicrobial Resistant (AMR) Infections				
Syndromes	24	23	22	21	current week to previous 3 weeks	Organism	EW 24	2025 YTD Totals		
Influenza-Like Illness	24	38	27	28	-23%	MRSA	1	26		
Diarrhea	4	21	9	13	-72%	VRE	0	3		
Prolonged Fever	17	9	20	22	0%	ESBL	4	60		
Acute Fever and Rash	0	0	0	0	0%	CRE	0	0		







Commonwealth of the Northern Mariana Islands

### **CNMI Weekly Syndromic Surveillance Trends**

**EPI WEEK DATE:** June 08, 2025 – June 14, 2025











Commonwealth of the Northern Mariana Islands

### **CNMI Weekly Syndromic Surveillance Trends**

**EPI WEEK DATE:** June 08, 2025 – June 14, 2025









Commonwealth of the Northern Mariana Islands

### **CNMI Weekly Notifiable Disease Report for Select NNDs**

**EPI WEEK 24 EPI WEEK DATE:** June 08, 2025 – June 14, 2025

In the table below, weekly and year to date counts are displayed for Epi Week 24 and 2025, respectively. Additionally, a 3-year weekly average is calculated for the same Epi Week from the previous 3 years (2022-2024) for comparison to the current week. Incidence rates are calculated for 2024 and 2025 using the estimated population for the CNMI from the U.S. Census Bureau.

Condition	Epi Week 24	2025 YTD	3-year weekly average counts	2025 YTD Incidence Rates*	2024 Incidence Rates*
Enteric Diseases:					
Campylobacter	1	6	1	11.8	35.2
Ciguatera fish poisoning	0	2	0	3.9	9.8
Salmonella	1	9	0	17.7	43.0
Environmental:					
Elevated Blood Lead Levels	0	0	0	0.0	7.8
Sexually Transmitted Infections:					
Chlamydia	7	107	4	210.0	418.6
Gonorrhea	1	14	0	27.5	48.9
Syphilis	0	2	0	3.9	5.9
Respiratory Infections:					
Influenza	3	266	-	522.1	831.4
RSV	0	3	-	5.9	142.8
COVID-19	27	119	47	233.6	1299.0
Tuberculosis:					
TB, Confirmed	0	8	0	15.7	19.6
TB, Under Investigation	1	2	0	3.9	7.8

<sup>\*</sup>Rate per 100,000; Data are preliminary and subject to change. CNMI population estimates were determined using 2024 and 2025 Census International Database (https://www.census.gov/data-tools/demo/idb/#/country?YR\_ANIM=2021&COUNTRY\_YR\_ANIM=2021&FIPS\_SINGLE=CQ)








### **CNMI Weekly Prescription Drug Monitoring Program (PDMP) Report**

EPI WEEK 24 EPI WEEK DATE: JUNE 8 – JUNE 14, 2025

WEEKLY CASE COUNTS												
POLYSUI	BSTANCE		OPIOID			STIMULANT			BENZODIAZEPINE			
OVERDOSE	MISUSE	OVERDOSE	OUD	MISUSE	OVERDOSE	StUD	MISUSE	OVERDOSE	BUD	MISUSE	OVERDOSE	
0	4	0	0	0	0	0	9	0	0	0	0	

NOTE: The encounters have been monitored since 2020. Some individuals might be involved in multiple cases or flagged multiple times for the same type of encounter in a single EPI week. The overdose Surveillance has expanded to include Stimulant and Polysubstance cases in 2021, Benzodiazepine cases in 2022. The Polysubstance cases are also counted under respective categories. Prior cases of any overdose related encounters might be duplicated under Other Substance Overdose category. Other Substance category analysis is solely depending on indications from the providers' notes. The substances reported are not verified by NDC number or DEA substance database.





- NON-FATAL OVERDOSE
- SUBSTANCE USE DISORDER or MISUSE



PDMP data to support the patients' statement.

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52

**EPI WEEK #** 

	CASE. DEFINITION					
OVERDOSE	Injury to the body (poisoning) that happens when a drug is taken in excessive amounts. An overdose can be fatal or nonfatal, accidental or intentional.					
POLY-SUBSTANCE	The use of more than one drug, also known as polysubstance use, is common. This includes when two or more are taken together or within a short time period, either intentionally or unintentionally. Intentional polysubstance use occurs when a person takes a drug to increase or decrease the effects of a different drug or wants to experience the effects of the combination. Unintentional polysubstance use occurs when a person takes drugs that have been mixed or cut with other substances, like fentanyl, without their knowledge. Whether intentional or not, mixing drugs is never safe because the effects from combining drugs may be stronger and more unpredictable than one drug alone, and even deadly.  *For overdose Surveillance, Poly-Substance Use only includes encounters associated with Opioids, Stimulants, and/or Benzodiazepines.					
The use of illegal drugs and/or the use of prescription drugs in a manner other than as directed by a doctor, such as use in great or longer than told to take a drug or using someone else's prescription.						
OPIOID USE DISORDER	A problematic pattern of opioid, stimulant, or benzodiazepine uses that lead to serious impairment or distress. Diagnosing OUD/SUD/BUD requires a					
STIMULANT USE DISORDER	thorough evaluation, which may include obtaining the results of urine drug testing and prescription drug monitoring program (PDMP) reports, when					
BENZODIAZEPINE USE DISORDER  OUD/SUD/BUD is suspected. A diagnosis is based on specific criteria such as unsuccessful efforts to cut down or control use, or use resulting in problems and a failure to fulfill obligations at work, school, or home, among other criteria.						
SUSPECTED MISUSE	Any encounters that possibly leading to the above descriptions with such providers' comments as "requesting prescription refills (at emergency department)", "drug-seeking-behavior", and "frequent ER visitor for the same complaint for chronic pain and requesting 'stronger' medication". Also, cases where providers indicate there is possibility for misuse on the EHR system or when patients inform that they took Oxycodone (for example) and no					

#### **SENTINEL SITES**

#### Commonwealth Healthcare Corporation (CHCC)

ER - Emergency Room, PCAP - Primary Care Access Point, CC - Children's Clinic, FCC - Family Care Clinic, WC - Women's Clinic,

THC - Tinian Health Clinic, RHC - Rota Health Center

Private Clinic

KICH - Kagman Isla Community Health, TICH - Tinian Isla Community Health, SICH – Southern Isla Community Health SHC – Saipan Health Clinic







### **CNMI Weekly Health & Vital Statistics Report**

#### **REPORTING PERIOD: EPI YEAR 2025 as of EPI WEEK 24**

The statistics on births, deaths, and causes of deaths in this report are derived from birth and death registrations processed daily at the Health and Vital Statistics Office.

• Nu	mber of births:	<b>10</b> (256)	•	Number of deaths	s:			<b>3</b> (102)		
• Av	erage (per week):	•	Average (per wee	4						
• Inf	ections present and/or treated dur	•	Number of deaths	ine:						
pre	egnancy:									
0	Chlamydia:	<b>O</b> (5)		Age range:	< 5	≥ 5	12-17	18 & over		
0	Gonorrhea:	0(1)		N∘ of death	<b>0</b> (5)	<b>O</b> (0)	<b>O</b> (1)	<b>3</b> (96)		
0	Syphilis:	<b>O</b> (0)		N∘ Vaccinated	<b>O</b> (0)	<b>O</b> (0)	<b>O</b> (0)	<b>2</b> (76)		
0	Hepatitis B:	0(1)		% Vaccinated	0%	0%	0%	79%		
0	Hepatitis C:	<b>O</b> (0)								
0	COVID-19:	<b>O</b> (0)	•	Mortality Surveilla	ance:			<b>3</b> <u>(102)</u>		
• Sul	ostance use during pregnancy:			o Non-communical	ole disea	ses:		<b>2</b> (67)		
0	Cigarette smoking:	0(4)		<ul><li>Cancer rel</li></ul>	ated dea	ths		<b>0</b> (15)		
0	Betelnut chewing:	<b>2</b> (17)		<ul> <li>Tobacco related deaths</li> <li>COVID-19 related deaths:</li> </ul>						
0	Betelnut chewing + tobacco:	<b>2</b> (17)								
0	Alcohol use:	0(1)		<b>0</b> (0)						
0	Drug use: (Cannabis, Crystal meth-			■ COVID-19	other co	ntiibutiii	g conditions <sup>1</sup>	<b>O</b> (0)		
	Ice, Opioid, Others, etc.	)		o Fetal Deaths <sup>2</sup> :				<b>0</b> (4)		
0	E-Cigarette use:	<b>O</b> (2)								
	<ul><li>3 months before pregnancy</li></ul>	<b>O</b> (0)		o Infant Deaths:				<b>0</b> (5)		
	<ul><li>During pregnancy</li></ul>	<b>O</b> (2)		o Children (aged 1	- 4 vears	) Deaths	:	<b>O</b> (0)		
• Ma	ternal risk factors in pregnancy:			o Maternal Deaths:	•	,		<b>0</b> (0)		
0	Pre-pregnancy DM:	0(4)					_			
0	Gestational DM:	<b>3</b> (31)		O Accident or Injur	-	d Deaths	s <sup>3</sup> :	<b>0</b> (5)		
0	Pre-pregnancy HTN:	<b>2</b> (6)		Drowning:				0(1)		
0	Gestational HTN:	<b>0</b> (22)		Suicide:				0(4)		
• Infa	ant risk factors (Low survival births			Homicide:				<b>O</b> (0)		
0	Birth weight < 1500 grams:	0(1)		<ul><li>Traffic fata</li></ul>	ality:			<b>0</b> (0)		
0	Birth weight < 2500 grams:	<b>1</b> (19)		<ul><li>Drug and/</li></ul>	or opioid	doverdo	se:	0(1)		
0	Gestation age < 37 weeks:	<b>1</b> (25)		Poisoning:				<b>0</b> (0)		

¹ Other significant condition contributing to death but NOT resulting in the underlying cause.² Fetal deaths = Fetus weighed ≥ 350 grams, or fetal demise > 20 weeks of completed gestation.

Data source: Electronic Vital Registration System (EVRS)

<sup>&</sup>lt;sup>3</sup> Accident or Injury related deaths = Manner of death beyond Natural Causes: accidental deaths (traffic and drowning), suicide, drug overdose, and poisoning.








### **CNMI Weekly Health & Vital Statistics Report**

#### REPORTING PERIOD: EPI YEAR 2025 as of EPI WEEK 24

The statistics on births, deaths, and causes of deaths in this report are derived from birth and death registrations processed daily at the Health and Vital Statistics Office.





4Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified; 5 Mental, Behavioral and Neurodevelopmental disorders; 6 Certain conditions originating in the perinatal period; 7 Congenital malformations, deformations and chromosomal abnormalities; <sup>8</sup>Injury, poisoning and certain other consequences of external causes; <sup>9</sup>Diseases of the musculoskeletal system and connective tissue, <sup>10</sup>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism

