



# Commonwealth Healthcare Corporation


## CNMI Weekly Syndromic Surveillance Report



EPI WEEK 50

EPI WEEK DATE: December 11 - December 17, 2022

Clinic	Influenza-Like-Illness (ILI)		Diarrhea (DIA)		Prolonged Fever (PF)		Acute Fever and Rash (AFR)		Total Encounters	
	Last week	Current week	Last week	Current week	Last week	Current week	Last week	Current week	Last week	Current Week
CHCC Family Care Clinic	0	1	0	3	0	0	0	0	329	378
CHCC Women's Clinic	0	0	0	0	0	0	0	0	98	113
CHCC Children's Clinic	7	6	1	1	0	2	0	0	209	219
CHCC Emergency Room	15	18	8	12	5	2	0	0	429	412
Kagman Isla Community Health	0	1	0	0	0	0	0	0	230	293
Tinian Isla Community Health	0	0	0	0	0	0	0	0	26	28
CHCC Tinian Health Center	4	3	0	0	0	1	0	0	123	128
CHCC Rota Health Center	0	0	1	1	0	0	0	0	104	98
	26	29	10	17	5	5	0	0	1548	1669



### KEY TAKEAWAYS

- 8% Increase** in **Total Encounters** from the last epi week to the current epi week.
- 38% Increase** in **Diarrhea cases** were seen this epi week (#50) compared to the average of the previous 3 epi weeks (#49, 48, & 47).
- 36% Increase** in **Influenza-like cases** were seen this epi week (#50) compared to the average of the previous 3 epi weeks (#49, 48, & 47).

### ALERTS AND TRENDS

- ILI:** Increase from previous week
- PF:** Stable from previous week
- AFR:** Stable from previous week
- DIA:** Increased from previous week

Syndromes	Epi Week				% Change from current week to previous 3 weeks	COVID Hospitalizations	
	50	49	48	47		Date Range	Totals
Acute Fever and Rash	0	0	0	0	Unstable	December 11 – December 17, 2022	0
Prolonged fever	5	5	7	7	-21%	December 04 – December 10, 2022	0
Influenza-like illness	29	26	22	16	36%	11/09/2021 – 12/17/2022	276
Diarrhea	17	10	19	8	38%		



# Commonwealth Healthcare Corporation

## CNMI Weekly OD2A Surveillance Report

EPI WEEK 50 | EPI WEEK DATE: DECEMBER 11 - DECEMBER 17, 2022


### WEEKLY CASE COUNTS

POLYSUBSTANCE		OPIOID			STIMULANT			BENZODIAZEPINE			OTHER SUBSTANCE
OVERDOSE	MISUSE	OVERDOSE	OUD	MISUSE	OVERDOSE	SUD	MISUSE	OVERDOSE	BUD	MISUSE	OVERDOSE
0	1	0	0	1	0	0	3	0	0	0	0

NOTE: The encounters have been monitored since 2020. Some individuals might be involved in multiple cases or flagged multiple times for the same type of encounter in a single EPI week. The OD2A Surveillance has expanded to include Stimulant and Polysubstance cases in 2021, Benzodiazepine cases in 2022. The Polysubstance cases are also counted under respective categories. Prior cases of any overdose related encounters might be duplicated under Other Substance Overdose category. Other Substance category analysis is solely depending on indications from the providers' notes. The substances reported are not verified by NDC number or DEA substance database.

### OD2A SURVEILLANCE: NUMBER OF PATIENT/ENCOUNTER FLAGGED by EPI WEEK 2022

- FATAL OVERDOSE
- NON-FATAL OVERDOSE
- SUBSTANCE USE DISORDER or MISUSE



CASE DEFINITION	
OVERDOSE	Injury to the body (poisoning) that happens when a drug is taken in excessive amounts. An overdose can be fatal or nonfatal, accidental or intentional.
POLY-SUBSTANCE	The use of more than one drug, also known as polysubstance use, is common. This includes when two or more are taken together or within a short time period, either intentionally or unintentionally. Intentional polysubstance use occurs when a person takes a drug to increase or decrease the effects of a different drug or wants to experience the effects of the combination. Unintentional polysubstance use occurs when a person takes drugs that have been mixed or cut with other substances, like fentanyl, without their knowledge. Whether intentional or not, mixing drugs is never safe because the effects from combining drugs may be stronger and more unpredictable than one drug alone, and even deadly.
MISUSE	*For OD2A Surveillance, Poly-Substance Use only includes encounters associated with Opioids, Stimulants, and/or Benzodiazepines.
OPIOID USE DISORDER	The use of illegal drugs and/or the use of prescription drugs in a manner other than as directed by a doctor, such as use in greater amounts, more often, or longer than told to take a drug or using someone else's prescription.
STIMULANT USE DISORDER	A problematic pattern of opioid, stimulant, or benzodiazepine uses that lead to serious impairment or distress. Diagnosing OUD/SUD/BUD requires a thorough evaluation, which may include obtaining the results of urine drug testing and prescription drug monitoring program (PDMP) reports, when OUD/SUD/BUD is suspected. A diagnosis is based on specific criteria such as unsuccessful efforts to cut down or control use, or use resulting in social problems and a failure to fulfill obligations at work, school, or home, among other criteria.
BENZODIAZEPINE USE DISORDER	Any encounters that possibly leading to the above descriptions with such providers' comments as "requesting prescription refills (at emergency department)", "drug-seeking behavior", and "frequent ER visitor for the same complaint for chronic pain and requesting 'stronger' medication". Also, cases where providers indicate there is possibility for misuse on the EHR system or when patients inform that they took Oxycodone (for example) and no PDMP data to support the patients' statement.
SUSPECTED MISUSE	KICH - Kagman Isla Community Health, TICH - Tinian Isla Community Health

SENTINEL SITES	
Commonwealth Healthcare Corporation (CHCC)	ER - Emergency Room, PCAP - Primary Care Access Point,
CC - Children's Clinic, FCC - Family Care Clinic, WC - Women's Clinic,	THC - Tinian Health Clinic, RHC - Rota Health Center
Private Clinic	KICH - Kagman Isla Community Health, TICH - Tinian Isla Community Health
Overdose Data to Action Program	Suite 305, Marina Heights II Bldg. P.O. Box 500409, Saipan, MP 96950 TEL: (670) 322-0061   Email: od2a@chcc.health





# Commonwealth Healthcare Corporation

## CNMI Weekly Notifiable Disease Report



EPI WEEK 50

EPI WEEK DATE: December 11 - December 17, 2022

In the table below, weekly and year to date counts are displayed through epi week 50. Additionally, a 3-year weekly average of incident counts comparing the incident count for this time period to the average of the previous 3 years (2019-2021) is included as well as incident rates for conditions that have counts greater than 20. Rates cannot be calculated for counts less than 20 due to statistical unreliability.

Condition	Epi Week 50	2022 YTD	3-year weekly average incident counts	2022 YTD Incident Rate*	2021 Incident Rate*
<b>Enteric</b>					
Campylobacter	0	41	0	79.7	27.1
Ciguatera fish poisoning	0	4	0	7.8	31.0
Salmonella	0	22	0	42.7	23.2
<b>Environmental</b>					
Elevated Blood Lead Levels	0	5	0	9.7	29.0
<b>Sexually Transmitted</b>					
Chlamydia	5	211	5	409.9	400.7
Gonorrhea	0	14	1	27.2	32.9
Syphilis	0	0	0	0.0	5.8
<b>Respiratory</b>					
COVID-19	22	9712	182	18867.4	6190.6
Post-Vaccine	12	6412	113	12456.5	3846.4
<b>Tuberculosis</b>					
TB, Confirmed	0	6	1	11.7	42.6
TB, Under Investigation	2	26	0.0	50.5	40.7

\*Rate per 100,000; Data are preliminary and subject to change. CNMI population estimates were determined using 2021 & 2022 Census International Database ([https://www.census.gov/data-tools/demo/idb/#/country?YR\\_ANIM=2021&COUNTRY\\_YR\\_ANIM=2021&FIPS\\_SINGLE=CO](https://www.census.gov/data-tools/demo/idb/#/country?YR_ANIM=2021&COUNTRY_YR_ANIM=2021&FIPS_SINGLE=CO))



# Commonwealth Healthcare Corporation

## CNMI Weekly COVID-19 Surveillance Report




EPI WEEK 50


EPI WEEK DATE: December 11 - December 17, 2022

For additional COVID-19 data, please visit this link: <https://chcc.datadriven.health/ui/99/dashboard/cbaeede2-4f75-11eb-b380-0242ac1d004a>

### Covid-19 Cases Reported, January 02, 2022 - December 17, 2022



### Covid-19 Diagnoses Source, January 02, 2022 - December 17, 2022



For COVID-19 vaccination data, please visit this link: <https://www.vaccinatecnmi.com/vax-dashboard/>

\*Data are preliminary and subject to change.



# Commonwealth Healthcare Corporation

## CNMI Weekly Health & Vital Statistics Report



### REPORTING PERIOD: EPI YEAR 2022 as of EPI WEEK 50

The statistics on births, deaths, and causes of deaths in this report are derived from birth and death registrations processed daily at the Health and Vital Statistics Office.

<ul style="list-style-type: none"><li><b>Number of births:</b> <u>11(456)</u></li><li><b>Average:</b> <u>9(per week)</u></li><li><b>Infections present and/or treated during pregnancy:</b><ul style="list-style-type: none"><li>Chlamydia: <u>1(22)</u></li><li>Gonorrhea: <u>0(1)</u></li><li>Syphilis: <u>0(0)</u></li><li>Hepatitis B: <u>0(4)</u></li><li>Hepatitis C: <u>0(1)</u></li><li>COVID-19: <u>0(28)</u></li></ul></li><li><b>Substance use during pregnancy:</b><ul style="list-style-type: none"><li>Cigarette smoking: <u>1(18)</u></li><li>Betelnut chewing: <u>3(83)</u></li><li>Betelnut chewing + tobacco: <u>2(77)</u></li><li>Alcohol use: <u>1(4)</u></li><li>Drug use: <u>0(5)</u></li></ul></li><li><b>Maternal risk factors in pregnancy:</b><ul style="list-style-type: none"><li>Pre-pregnancy DM: <u>1(12)</u></li><li>Gestational DM: <u>1(67)</u></li><li>Pre-pregnancy HTN: <u>0(10)</u></li><li>Gestational HTN: <u>0(23)</u></li></ul></li></ul>	<ul style="list-style-type: none"><li><b>Number of deaths:</b> <u>2(257)</u></li><li><b>Average:</b> <u>5(per week)</u></li><li><b>Number of deaths who received COVID-19 vaccine:</b><table><thead><tr><th>Age range:</th><th>&lt; 5</th><th>≥ 5</th><th>12-17</th><th>18 &amp; over</th></tr></thead><tbody><tr><td>Nº of death</td><td>0(8)</td><td>0(0)</td><td>0 (1)</td><td>2(248)</td></tr><tr><td>Nº Vaccinated</td><td>0 (0)</td><td>0 (0)</td><td>0 (0)</td><td>1(144)</td></tr><tr><td>% Vaccinated</td><td>0%</td><td>0%</td><td>0%</td><td>58%</td></tr></tbody></table></li><li><b>Mortality Surveillance:</b> <u>2(257)</u><ul style="list-style-type: none"><li>Non-communicable diseases: <u>2(154)</u></li><li>COVID-19 related deaths: <u>0(20)</u></li><li><i>COVID-19 as other contributing conditions:</i> <u>0(7)</u> <i>(Reported as other significant condition contributing to death but NOT resulting in the underlying cause)</i></li><li>Infant deaths: <u>0(6)</u></li><li>Neonatal deaths: <u>0(2)</u></li><li>Post neonatal deaths: <u>0(3)</u></li><li>Children (aged 1 - 4 yrs) deaths: <u>0(2)</u></li><li>Maternal deaths: <u>0(0)</u></li><li>Suicide deaths, adolescent: <u>0(0)</u></li><li>Suicide deaths, adult: <u>0(4)</u></li><li>Traffic fatality deaths: <u>0(5)</u></li><li>Opioid deaths: <u>0(0)</u></li><li>Lead poisoning: <u>0(0)</u></li></ul></li></ul>	Age range:	< 5	≥ 5	12-17	18 & over	Nº of death	0(8)	0(0)	0 (1)	2(248)	Nº Vaccinated	0 (0)	0 (0)	0 (0)	1(144)	% Vaccinated	0%	0%	0%	58%
Age range:	< 5	≥ 5	12-17	18 & over																	
Nº of death	0(8)	0(0)	0 (1)	2(248)																	
Nº Vaccinated	0 (0)	0 (0)	0 (0)	1(144)																	
% Vaccinated	0%	0%	0%	58%																	

Data source: Electronic Vital Registration System (EVRS)



# Commonwealth Healthcare Corporation


## CNMI Weekly Health & Vital Statistics Report



### REPORTING PERIOD: EPI YEAR 2022 as of EPI WEEK 50

The statistics on births, deaths, and causes of deaths in this report are derived from birth and death registrations processed daily at the Health and Vital Statistics Office.

#### Disease-specific causes of death by sex, January 2 - December 17, 2022



<sup>1</sup> Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified; <sup>2</sup> Mental, Behavioral and Neurodevelopmental disorders; <sup>3</sup> Congenital malformations, deformations and chromosomal abnormalities; <sup>4</sup> Injury, poisoning and certain other consequences of external causes; <sup>5</sup> Diseases of the musculoskeletal system and connective tissue

