



# Commonwealth Healthcare Corporation

## Commonwealth of the Northern Mariana Islands



### CNMI Weekly Syndromic Surveillance Report

EPI WEEK 05

EPI WEEK DATE: February 01, 2026 – February 07, 2026

Clinic	Influenza-Like-Illness (ILI)		Diarrhea (DIA)		Prolonged Fever (PF)		Acute Fever and Rash (AFR)		Total Encounters	
	Last week	Current week	Last week	Current week	Last week	Current week	Last week	Current week	Last week	Current week
CHCC Family Care Clinic	1	3	0	1	1	2	0	0	389	397
CHCC Women's Clinic	0	0	0	0	0	0	0	0	100	124
CHCC Children's Clinic	4	6	3	2	6	7	0	0	176	176
CHCC Emergency Room	23	27	11	9	11	10	0	0	382	440
Saipan Health Clinic	-	-	-	-	-	-	-	-	-	-
Marianas Health Services	0	0	0	0	0	0	0	0	132	131
Kagman Isla Community Health	0	2	0	0	0	0	0	0	73	80
Southern Isla Community Health	1	0	0	0	0	0	0	0	126	104
Tinian Isla Community Health	0	0	0	0	0	0	0	0	27	34
CHCC Lucia "Chiang" Villagomez Arizapa Health Center*	2	1	3	0	2	0	0	0	105	96
CHCC Rota Health Center	5	1	0	1	1	1	0	0	72	88
	36	40	17	13	21	20	0	0	1582	1670

\*CHCC Tinian Health Center was renamed to LCVA Health Center.

#### ALERTS AND TRENDS



**ILI: Increase** from previous week



**DIA: Decrease** from previous week



**PF: Stable** from previous week



**AFR: Stable** from previous week

#### KEY TAKEAWAYS

- **14% Increase** in Influenza-Like Illness cases were seen this Epi Week (#05) compared to the average of the previous 3 Epi Weeks.
- **50% Increase** in SARI cases were seen this Epi Week (#05) compared to the average of the previous 3 Epi Weeks.
- **16% Increase** in positive influenza cases were seen this Epi Week (#05) compared to the average of the previous 3 Epi Weeks.
- In Epi Week (#05), 6 cases of Norovirus, 2 cases of Campylobacter, and 1 Rotavirus case were identified.
- **24 Influenza cases: 22 Flu A & 2 Flu B**

Syndromes	Epi Week				Percent (%) change from current week to previous 3 weeks	Antimicrobial Resistant (AMR) Infections		
	05	04	03	02		Organism	EW 05	2026 YTD Totals
Influenza-Like Illness	40	36	35	34	14%	MRSA	1	4
Diarrhea	13	17	19	13	-20%	VRE	0	0
Prolonged Fever	20	21	25	27	-18%	ESBL	4	17
Acute Fever and Rash	0	0	0	0	0%	CRE	0	0



# Commonwealth Healthcare Corporation

Commonwealth of the Northern Mariana Islands




## CNMI Weekly Syndromic Surveillance Trends


EPI WEEK 05

EPI WEEK DATE: February 01, 2026 – February 07, 2026

### Total Number of Influenza-Like Illness (ILI) Cases Reported in the CNMI by Epi Week, 2026



### Total Number of Influenza, RSV, & COVID-19 Cases Reported in the CNMI by Epi Week, 2026





# Commonwealth Healthcare Corporation

Commonwealth of the Northern Mariana Islands




## CNMI Weekly Syndromic Surveillance Trends


EPI WEEK 05

EPI WEEK DATE: February 01, 2026 – February 07, 2026

### Total Number of Diarrhea (DIA) Cases Reported on CNMI by Epi Week, 2026



### Total Number of Prolonged Fever (PF) Cases Reported in the CNMI by Epi Week, 2026





# Commonwealth Healthcare Corporation

## Commonwealth of the Northern Mariana Islands



### CNMI Weekly Notifiable Disease Report for Select NNDs

**EPI WEEK 05**      **EPI WEEK DATE:** February 01, 2026 – February 07, 2026

In the table below, weekly and year to date counts are displayed for Epi Week 05 and 2026, respectively. Additionally, a 3-year weekly average is calculated for the same Epi Week from the previous 3 years (2023-2025) for comparison to the current week. Incidence rates are calculated for 2025 and 2026 using the estimated population for the CNMI from the U.S. Census Bureau.

Condition	Epi Week 05	2026 YTD	3-year weekly average counts	2026 YTD Incidence Rates*	2025 Incidence Rates*
<b>Enteric Diseases:</b>					
Campylobacter	2	4	0	7.9	37.3
Ciguatera fish poisoning	0	2	0	3.9	13.7
Salmonella	0	2	1	3.9	58.9
<b>Environmental:</b>					
Elevated Blood Lead Levels	0	0	0	0.0	2.0
<b>Sexually Transmitted Infections:</b>					
Chlamydia	1	14	10	27.6	371.0
Gonorrhea	0	1	2	2.0	35.3
Syphilis	0	1	0	2.0	33.4
<b>Respiratory Infections:</b>					
Influenza	24	104	(-)	204.8	1270.0
RSV	2	7	(-)	13.8	45.1
COVID-19	0	0	29	0.0	447.5
<b>Tuberculosis:</b>					
TB, Confirmed	0	1	0	2.0	35.3
TB, Under Investigation	0	3	1	5.9	5.9

\*Rate per 100,000; Data are preliminary and subject to change. CNMI population estimates were determined using 2025 and 2026 Census International Database ([https://www.census.gov/data-tools/demo/idb/#/country?YR\\_ANIM=2021&COUNTRY\\_YR\\_ANIM=2021&FIPS\\_SINGLE=CQ](https://www.census.gov/data-tools/demo/idb/#/country?YR_ANIM=2021&COUNTRY_YR_ANIM=2021&FIPS_SINGLE=CQ))



# Commonwealth Healthcare Corporation

## Commonwealth of the Northern Mariana Islands



### CNMI Weekly Prescription Drug Monitoring Program (PDMP) Report

EPI WEEK 5 | EPI WEEK DATE: FEBRUARY 1, 2026 – FEBRUARY 7, 2026


#### WEEKLY CASE COUNTS

POLYSUBSTANCE		OPIOID			STIMULANT			BENZODIAZEPINE			OTHER SUBSTANCE
OVERDOSE	MISUSE	OVERDOSE	ODU	MISUSE	OVERDOSE	StUD	MISUSE	OVERDOSE	BUD	MISUSE	OVERDOSE
0	1	0	0	0	0	0	6	0	0	0	0

NOTE: The encounters have been monitored since 2020. Some individuals might be involved in multiple cases or flagged multiple times for the same type of encounter in a single EPI week. The overdose Surveillance has expanded to include Stimulant and Polysubstance cases in 2021, Benzodiazepine cases in 2022. The Polysubstance cases are also counted under respective categories. Prior cases of any overdose related encounters might be duplicated under Other Substance Overdose category. Other Substance category analysis is solely depending on indications from the providers' notes. The substances reported are not verified by NDC number or DEA substance database.

#### PDMP IDENTIFIED CASES: NUMBER OF PATIENT/ENCOUNTER FLAGGED by EPI WEEK 2026

- FATAL OVERDOSE
- NON-FATAL OVERDOSE
- SUBSTANCE USE DISORDER or MISUSE



CASE: DEFINITION	
OVERDOSE	Injury to the body (poisoning) that happens when a drug is taken in excessive amounts. An overdose can be fatal or nonfatal, accidental or intentional.
POLY-SUBSTANCE	The use of more than one drug, also known as polysubstance use, is common. This includes when two or more are taken together or within a short time period, either intentionally or unintentionally. Intentional polysubstance use occurs when a person takes a drug to increase or decrease the effects of a different drug or wants to experience the effects of the combination. Unintentional polysubstance use occurs when a person takes drugs that have been mixed or cut with other substances, like fentanyl, without their knowledge. Whether intentional or not, mixing drugs is never safe because the effects from combining drugs may be stronger and more unpredictable than one drug alone, and even deadly. *For overdose Surveillance, Poly-Substance Use only includes encounters associated with Opioids, Stimulants, and/or Benzodiazepines.
MISUSE	The use of illegal drugs and/or the use of prescription drugs in a manner other than as directed by a doctor, such as use in greater amounts, more often, or longer than told to take a drug or using someone else's prescription.
OPIOID USE DISORDER	A problematic pattern of opioid, stimulant, or benzodiazepine uses that lead to serious impairment or distress. Diagnosing OUD/SUD/BUD requires a thorough evaluation, which may include obtaining the results of urine drug testing and prescription drug monitoring program (PDMP) reports, when OUD/SUD/BUD is suspected. A diagnosis is based on specific criteria such as unsuccessful efforts to cut down or control use, or use resulting in social problems and a failure to fulfill obligations at work, school, or home, among other criteria.
STIMULANT USE DISORDER	
BENZODIAZEPINE USE DISORDER	
SUSPECTED MISUSE	Any encounters that possibly leading to the above descriptions with such providers' comments as "requesting prescription refills (at emergency department)", "drug-seeking-behavior", and "frequent ER visitor for the same complaint for chronic pain and requesting 'stronger' medication". Also, cases where providers indicate there is possibility for misuse on the EHR system or when patients inform that they took Oxycodone (for example) and no PDMP data to support the patients' statement.

#### SENTINEL SITES

**Commonwealth Healthcare Corporation (CHCC)**  
 ER - Emergency Room,  
 CC - Children's Clinic, FCC - Family Care Clinic, WC - Women's Clinic,  
 LCVA HC- Lucia Chiang Villagomez Arizapa Health Center,  
 RHC - Rota Health Center

**Private Clinic**  
 KICH - Kagman Isla Community Health,  
 TICH - Tinian Isla Community Health,  
 SICH - Southern Isla Community Health  
 SHC - Saipan Health Clinic



# Commonwealth Healthcare Corporation

## Commonwealth of the Northern Mariana Islands



### CNMI Weekly Health & Vital Statistics Report

REPORTING PERIOD: EPI YEAR 2026 as of EPI WEEK 05

The statistics on births, deaths, and causes of deaths in this report are derived from birth and death registrations processed daily at the Health and Vital Statistics Office.

<ul style="list-style-type: none"> <li>• <b>Number of births:</b> <u>8(43)</u></li> <li>• <b>Average:</b> <u>9(per week)</u></li> <li>• <b>Infections present and/or treated during pregnancy:</b> <ul style="list-style-type: none"> <li>○ Chlamydia: 1(2)</li> <li>○ Gonorrhea: 0(0)</li> <li>○ Syphilis: 0(0)</li> <li>○ Hepatitis B: 0(1)</li> <li>○ Hepatitis C: 0(0)</li> <li>○ COVID-19: 0(0)</li> </ul> </li> <li>• <b>Substance use during pregnancy:</b> <ul style="list-style-type: none"> <li>○ Cigarette smoking: 0(0)</li> <li>○ Betelnut chewing: 0(2)</li> <li>○ Betelnut chewing + tobacco: 0(2)</li> <li>○ Alcohol use: 0(0)</li> <li>○ Drug use: (Cannabis, Crystal meth- Ice, Opioid, Others, etc.) 0(0)</li> <li>○ E-Cigarette use: 0(0) <ul style="list-style-type: none"> <li>▪ 3 months before pregnancy 0(0)</li> <li>▪ During pregnancy 0(0)</li> </ul> </li> </ul> </li> <li>• <b>Maternal risk factors in pregnancy:</b> <ul style="list-style-type: none"> <li>○ Pre-pregnancy DM: 0(0)</li> <li>○ Gestational DM: 1(7)</li> <li>○ Pre-pregnancy HTN: 0(0)</li> <li>○ Gestational HTN: 1(3)</li> </ul> </li> <li>• <b>Infant risk factors (Low survival births)</b> <ul style="list-style-type: none"> <li>○ Birth weight &lt; 1500 grams: 0(0)</li> <li>○ Birth weight &lt; 2500 grams: 0(2)</li> <li>○ Gestation age &lt; 37 weeks: 1(3)</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• <b>Number of deaths:</b> <u>3(23)</u></li> <li>• <b>Average:</b> <u>5(per week)</u></li> <li>• <b>Number of deaths who received COVID-19 and Flu vaccine:</b> <table border="1"> <thead> <tr> <th>Age range:</th> <th>&lt; 5</th> <th>≥ 5</th> <th>12-17</th> <th>18 &amp; over</th> </tr> </thead> <tbody> <tr> <td>N° of death</td> <td>0(0)</td> <td>0(0)</td> <td>0(0)</td> <td>3(23)</td> </tr> <tr> <td>% COVID-19</td> <td>0%</td> <td>0%</td> <td>0%</td> <td>65%</td> </tr> <tr> <td>% Flu Vaccine</td> <td>0%</td> <td>0%</td> <td>0%</td> <td>0%</td> </tr> </tbody> </table> <p><i>Note: Received flu vaccine within ≤ 14 days before time of death.</i></p> </li> <li>• <b>Mortality Surveillance:</b> <u>3(23)</u> <ul style="list-style-type: none"> <li>○ Non-communicable diseases: 2(20) <ul style="list-style-type: none"> <li>▪ Cancer related deaths 0(5)</li> <li>▪ Tobacco related deaths 0(1)</li> </ul> </li> <li>○ Viral Respiratory Illnesses: 0(1) <ul style="list-style-type: none"> <li>▪ Acute upper respiratory infections 0(0)</li> <li>▪ Influenza and pneumonia 0(1)</li> <li>▪ Other acute lower respiratory infections 0(0)</li> <li>▪ COVID-19 or other contributing conditions<sup>1</sup> 0(1)</li> </ul> </li> <li>○ Fetal Deaths<sup>2</sup>: 0(0)</li> <li>○ Infant Deaths: 0(0)</li> <li>○ Children (aged 1 - 4 years) Deaths: 0(0)</li> <li>○ Maternal Deaths: 0(0)</li> <li>○ Accident or Injury Related Deaths<sup>3</sup>: 0(0) <ul style="list-style-type: none"> <li>▪ Drowning: 0(0)</li> <li>▪ Suicide: 0(0)</li> <li>▪ Homicide: 0(0)</li> <li>▪ Traffic fatality: 0(0)</li> <li>▪ Drug and/or opioid overdose: 0(0)</li> <li>▪ Poisoning: 0(0)</li> </ul> </li> </ul> </li> </ul>	Age range:	< 5	≥ 5	12-17	18 & over	N° of death	0(0)	0(0)	0(0)	3(23)	% COVID-19	0%	0%	0%	65%	% Flu Vaccine	0%	0%	0%	0%
Age range:	< 5	≥ 5	12-17	18 & over																	
N° of death	0(0)	0(0)	0(0)	3(23)																	
% COVID-19	0%	0%	0%	65%																	
% Flu Vaccine	0%	0%	0%	0%																	

<sup>1</sup> Other significant condition contributing to death but NOT resulting in the underlying cause. <sup>2</sup> Fetal deaths = Fetus weighed ≥ 350 grams, or fetal demise > 20 weeks of completed gestation.

<sup>3</sup> Accident or Injury related deaths = Manner of death beyond Natural Causes: accidental deaths (traffic and drowning), suicide, drug overdose, and poisoning.



# Commonwealth Healthcare Corporation

## Commonwealth of the Northern Mariana Islands




### CNMI Weekly Health & Vital Statistics Report

REPORTING PERIOD: EPI YEAR 2026 as of EPI WEEK 05

The statistics on births, deaths, and causes of deaths in this report are derived from birth and death registrations processed daily at the Health and Vital Statistics Office.

Disease-specific causes of death by sex, January 04, 2026 - February 07, 2026



<sup>4</sup>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified; <sup>5</sup> Mental, Behavioral and Neurodevelopmental disorders; <sup>6</sup>Certain conditions originating in the perinatal period; <sup>7</sup>Congenital malformations, deformations and chromosomal abnormalities; <sup>8</sup>Injury, poisoning and certain other consequences of external causes; <sup>9</sup>Diseases of the musculoskeletal system and connective tissue; <sup>10</sup>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism

Vital events reported, January 04, 2026 - February 07, 2026

