





### **CNMI Weekly Syndromic Surveillance Report**

EPI WEEK 48 EPI WEEK DATE: November 23, 2025 – November 29, 2025

Clinic	Influenza-Like-Illness (ILI)		Diarrhea (DIA)		Prolonged Fever (PF)		Acute Fever and Rash (AFR)		Total Encounters	
Cinic	Last week	Current week	Last week	Current week	Last week	Current week	Last week	Current week	Last week	Current week
CHCC Family Care Clinic	0	1	0	0	2	3	0	0	426	241
CHCC Women's Clinic	0	0	0	0	0	0	0	0	117	72
CHCC Children's Clinic	8	11	5	0	12	2	0	0	241	157
CHCC Emergency Room	14	25	9	11	11	17	0	0	386	430
Saipan Health Clinic	-	-	-	-	-	-	-	-	-	-
Marianas Health Services	0	0	0	0	0	0	0	0	134	124
Kagman Isla Community Health	0	0	0	0	0	0	0	0	52	49
Southern Isla Community Health	1	0	0	0	0	0	0	0	150	83
Tinian Isla Community Health	0	1	0	0	0	0	0	0	30	30
CHCC Lucia "Chiang" Villagomez Arizapa Health Center*	2	2	1	1	0	0	0	0	88	80
CHCC Rota Health Center	4	2	1	2	3	2	0	0	78	69
*CHCC Tinian Health Center was renamed to LCVA Health Center.	29	42	16	14	28	24	0	0	1702	1335

#### **ALERTS AND TRENDS**



**ILI: Increased** from previous week



**DIA: Stable** from previous week



PF: Decreased from previous week



**AFR**: **Stable** from previous week

#### **KEY TAKEAWAYS**

- ➤ 22% Decrease in Total Encounters were seen this Epi Week (#48) compared to the average of the previous 3 Epi Weeks.
- > 16% Increase in Influenza-Like Illness cases were seen this Epi Week (#48) compared to the average of the previous 3 Epi Weeks.
- > 57% of reported Influenza-Like Illness cases occurred among children under the age of 5.

❖ 6 Influenza cases: 5 Flu A & 1 Flu B

		Epi V	Veek	Percent (%) change from		
Syndromes	48	47	46	45	current week to previous 3 weeks	
Influenza-Like Illness	42	29	43	37	16%	
Diarrhea	14	16	9	15	5%	
Prolonged Fever	24	28	33	22	-13%	
Acute Fever and Rash	0	0	0	1	0%	

Antimicrobial Resistant (AMR) Infections								
Organism	EW 48	2025 YTD Totals						
MRSA	1	52						
VRE	0	3						
ESBL	5	121						
CRE	0	0						







Commonwealth of the Northern Mariana Islands

### **CNMI Weekly Syndromic Surveillance Trends**

**EPI WEEK 48 EPI WEEK DATE:** November 23, 2025 – November 29, 2025











Commonwealth of the Northern Mariana Islands

### **CNMI Weekly Syndromic Surveillance Trends**

**EPI WEEK 48 EPI WEEK DATE:** November 23, 2025 – November 29, 2025











### **CNMI Weekly Notifiable Disease Report for Select NNDs**

**EPI WEEK 48 EPI WEEK DATE:** November 23, 2025 – November 29, 2025

In the table below, weekly and year to date counts are displayed for Epi Week 48 and 2025, respectively. Additionally, a 3-year weekly average is calculated for the same Epi Week from the previous 3 years (2022-2024) for comparison to the current week. Incidence rates are calculated for 2024 and 2025 using the estimated population for the CNMI from the U.S. Census Bureau.

Condition	Epi Week 48	2025 YTD	3-year weekly average counts	2025 YTD Incidence Rates*	2024 Incidence Rates*
Enteric Diseases:					
Campylobacter	0	18	1	35.3	35.2
Ciguatera fish poisoning	1	7	0	13.7	9.8
Salmonella	0	27	0	53.0	43.0
Environmental:					
Elevated Blood Lead Levels	0	1	0	2.0	7.8
Sexually Transmitted Infections:					
Chlamydia	3	173	4	339.6	418.6
Gonorrhea	0	16	0	31.4	48.9
Syphilis	0	13	0	25.5	5.9
Respiratory Infections:					
Influenza	6	567	-	1112.9	831.4
RSV	3	14	-	27.5	142.8
COVID-19	0	228	2	447.5	1299.0
Tuberculosis:					
TB, Confirmed	0	16	0	31.4	19.6
TB, Under Investigation	0	3	0	5.9	7.8

<sup>\*</sup>Rate per 100,000; Data are preliminary and subject to change. CNMI population estimates were determined using 2024 and 2025 Census International Database (https://www.census.gov/data-tools/demo/idb/#/country?YR\_ANIM=2021&COUNTRY\_YR\_ANIM=2021&FIPS\_SINGLE=CQ)



Commonwealth of the Northern Mariana Islands




### **CNMI Weekly Prescription Drug Monitoring Program (PDMP) Report**

EPI WEEK 48 | EPI WEEK DATE: NOVEMBER 23 – NOVEMBER 29, 2025

WEEKLY CASE COUNTS											
POLYSUE	BSTANCE		OPIOID		STIMULANT			BENZODIAZEPINE			OTHER SUBSTANCE
OVERDOSE	MISUSE	OVERDOSE	OUD	MISUSE	OVERDOSE	StUD	MISUSE	OVERDOSE	BUD	MISUSE	OVERDOSE
0	2	0	0	0	0	0	8	0	0	0	0

NOTE: The encounters have been monitored since 2020. Some individuals might be involved in multiple cases or flagged multiple times for the same type of encounter in a single EPI week. The overdose Surveillance has expanded to include Stimulant and Polysubstance cases in 2021, Benzodiazepine cases in 2022. The Polysubstance cases are also counted under respective categories. Prior cases of any overdose related encounters might be duplicated under Other Substance Overdose category. Other Substance category analysis is solely depending on indications from the providers' notes. The substances reported are not verified by NDC number or DEA substance database.



	CASE. DEFINITION				
OVERDOSE	Injury to the body (poisoning) that happens when a drug is taken in excessive amounts. An overdose can be fatal or nonfatal, accidental or intentional.				
POLY-SUBSTANCE	The use of more than one drug, also known as polysubstance use, is common. This includes when two or more are taken together or within a short time period, either intentionally or unintentionally. Intentional polysubstance use occurs when a person takes a drug to increase or decrease the effects of a different drug or wants to experience the effects of the combination. Unintentional polysubstance use occurs when a person takes drugs that have been mixed or cut with other substances, like fentanyl, without their knowledge. Whether intentional or not, mixing drugs is never safe because the effects from combining drugs may be stronger and more unpredictable than one drug alone, and even deadly.  *For overdose Surveillance, Poly-Substance Use only includes encounters associated with Opioids, Stimulants, and/or Benzodiazepines.				
The use of illegal drugs and/or the use of prescription drugs in a manner other than as directed by a doctor, such as use in greater amounts, more or longer than told to take a drug or using someone else's prescription.					
OPIOID USE DISORDER	A problematic pattern of opioid, stimulant, or benzodiazepine uses that lead to serious impairment or distress. Diagnosing OUD/SUD/BUD requires a				
STIMULANT USE DISORDER	thorough evaluation, which may include obtaining the results of urine drug testing and prescription drug monitoring program (PDMP) reports, when				
BENZODIAZEPINE USE DISORDER OUD/SUD/BUD is suspected. A diagnosis is based on specific criteria such as unsuccessful efforts to cut down or control use, or use resulting in so problems and a failure to fulfill obligations at work, school, or home, among other criteria.					
SUSPECTED MISUSE	Any encounters that possibly leading to the above descriptions with such providers' comments as "requesting prescription refills (at emergency department)", "drug-seeking-behavior", and "frequent ER visitor for the same complaint for chronic pain and requesting 'stronger' medication". Also, cases where providers indicate there is possibility for misuse on the EHR system or when patients inform that they took Oxycodone (for example) and no				

PDMP data to support the patients' statement.

#### SENTINEL SITES

#### Commonwealth Healthcare Corporation (CHCC)

ER - Emergency Room,

CC - Children's Clinic, FCC - Family Care Clinic, WC - Women's Clinic,

LCVA HC- Lucia Chiang Villagomez Arizapa Health Center, RHC - Rota Health Center

ine - Nota meanin et

#### Private Clinic

KICH - Kagman Isla Community Health, TICH - Tinian Isla Community Health, SICH – Southern Isla Community Health SHC – Saipan Health Clinic







### **CNMI Weekly Health & Vital Statistics Report**

#### **REPORTING PERIOD: EPI YEAR 2025 as of EPI WEEK 48**

The statistics on births, deaths, and causes of deaths in this report are derived from birth and death registrations processed daily at the Health and Vital Statistics Office.

• Nu	mber of births: 14 <u>(506)</u>		•	Number of deaths	s:	<b>3</b> <u>(</u> 2	21)	
• Av	Average: 10(per week)			Average:				
• Inf	Infections present and/or treated during			Number of deaths	ine:			
pre	egnancy:							
0	Chlamydia:	<b>0</b> (12)		Age range:	< 5	≥ 5	12-17	18 & over
0	Gonorrhea:	0(1)		N∘ of death	<b>0</b> (8)	<b>O</b> (0)	0(1)	<b>3</b> (212)
0	Syphilis:	0(1)		N∘ Vaccinated	<b>O</b> (0)	<b>O</b> (0)	<b>O</b> (0)	<b>2</b> (157)
0	Hepatitis B:	<b>1</b> (2)		% Vaccinated	0%	0%	0%	74%
0	Hepatitis C:	0(1)						
0	COVID-19:	<b>O</b> (0)	•	Mortality Surveilla	ance:			3 <u>(221</u> )
• Sul	ostance use during pregnancy:			O Non-communicat	ole disea	ses:		<b>1</b> (138)
0	Cigarette smoking:	<b>0</b> (6)		<ul> <li>Cancer relative</li> </ul>		<b>0</b> (34)		
0	Betelnut chewing:	<b>2</b> (34)		<b>0</b> (26)				
0	Betelnut chewing + tobacco:	<b>2</b> (31)	o COVID-19 related deaths:					0(1)
0	Alcohol use:	use: <b>0</b> (1)					g conditions¹	<b>O</b> (0)
0	Drug use: (Cannabis, Crystal meth-	<b>O</b> (8)			other co	nunbuun	y conditions	
	Ice, Opioid, Others, etc.)			o Fetal Deaths <sup>2</sup> :				<b>0</b> (5)
0	E-Cigarette use:	<b>0</b> (3)						
	<ul><li>3 months before pregnancy</li></ul>	<b>O</b> (O)		o Infant Deaths:				0(8)
	<ul><li>During pregnancy</li></ul>	<b>0</b> (3)		o Children (aged 1	- 4 vears	) Deaths:	:	<b>0</b> (0)
• Ma	ternal risk factors in pregnancy:			o Maternal Deaths:	-	•		<b>0</b> (0)
0	Pre-pregnancy DM:	<b>1</b> (11)					_	
0	Gestational DM:	<b>2</b> (60)		<ul> <li>Accident or Injury</li> </ul>	-	d Deaths	3.	<b>1</b> (13)
0	Pre-pregnancy HTN:	<b>1</b> (23)		Drowning:				0(2)
0	Gestational HTN:	<b>3</b> (50)		Suicide:				0(7)
• Infa	ant risk factors (Low survival births)			Homicide:				0(1)
0	Birth weight < 1500 grams:	<b>O</b> (5)		<ul><li>Traffic fata</li></ul>	ality:			<b>0</b> (3)
0	Birth weight < 2500 grams:	<b>0</b> (37)		<ul><li>Drug and/</li></ul>	or opioi	d overdos	se:	<b>0</b> (5)
0	Gestation age < 37 weeks:	<b>0</b> (52)		Poisoning:				1(1)

<sup>&</sup>lt;sup>1</sup> Other significant condition contributing to death but NOT resulting in the underlying cause.

<sup>&</sup>lt;sup>2</sup> Fetal deaths = Fetus weighed ≥ 350 grams, or fetal demise > 20 weeks of completed gestation.

<sup>&</sup>lt;sup>3</sup> Accident or Injury related deaths = Manner of death beyond Natural Causes: accidental deaths (traffic and drowning), suicide, homicide, drug overdose, and poisoning. Data source: Electronic Vital Registration System (EVRS)






Commonwealth of the Northern Mariana Islands

### **CNMI Weekly Health & Vital Statistics Report**


#### REPORTING PERIOD: EPI YEAR 2025 as of EPI WEEK 48

The statistics on births, deaths, and causes of deaths in this report are derived from birth and death registrations processed daily at the Health and Vital Statistics Office.





<sup>4</sup>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified; <sup>5</sup> Mental, Behavioral and Neurodevelopmental disorders; <sup>6</sup>Certain conditions originating in the perinatal period; <sup>7</sup>Congenital malformations, deformations and chromosomal abnormalities; <sup>8</sup>Injury, poisoning and certain other consequences of external causes; <sup>9</sup>Diseases of the musculoskeletal system and connective tissue, <sup>10</sup>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism



(EpiWeek)